

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

1300 I STREET, N. W.
WASHINGTON, DC 20005-3315

202 • 408 • 4000
FACSIMILE 202 • 408 • 4400

WRITER'S DIRECT DIAL NUMBER:

(202) 408-4454

July 8, 1999

ATTORNEY DOCKET NO.: 05725.0435-00000

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Re: New U.S. Patent Application
Title: COMPOSITION, METHOD AND KIT FOR DYEING
KERATIN FIBERS WITH A CATIONIC DIRECT DYE
AND A THICKENING POLYMER
Inventors: **Gérard LANG** - 51B, rue R. Thomas
95390 - SAINT PRIX
FRANCE
Jean COTTERET - 13 rue du Pré Rousselin
78480 VERNEUIL SUR SEINE
FRANCE

Sir:

We enclose the following papers for filing in the United States Patent and Trademark Office in connection with the above patent application.

1. Application - 603 pages, including title page and abstract, and including 22 independent claims and 107 claims total.
2. Information Disclosure Statement Under 37 C.F.R. § 1.97(b)/Form PTO 1449/French Search Report/Documents (48).
3. Claim for Priority/Certified copy of French Patent Application No. 98 08835, filed July 9, 1998.
4. A check for \$3,808.00 representing a \$760.00 filing fee and \$3,048.00 for additional claims.

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Assistant Commissioner for Patents

July 8, 1999

Page 2

This application is being filed under the provisions of 37 C.F.R. § 1.53(b) and (f). Applicants await notification from the Patent and Trademark Office of the time set for filing the executed Declaration.

Please accord this application a serial number and filing date.

The Commissioner is hereby authorized to charge any additional filing fees due and any other fees due under 37 C.F.R. § 1.16 or § 1.17 during the pendency of this application to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: Thalia V. Warnement
Thalia V. Warnement
Reg. No. 39,064

TVW/pag

Enclosures

668027 6680560

UNITED STATES PATENT APPLICATION

OF

GÉRARD LANG AND JEAN COTTERET

FOR

COMPOSITION FOR DYEING KERATIN FIBRES WITH A
CATIONIC DIRECT DYE AND A THICKENING POLYMER

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-406-4000

The invention relates to a composition for dyeing keratin fibres, in particular human keratin fibres such as the hair, comprising, in a medium which is suitable for dyeing, at least one cationic direct dye of given formula and at least one specific thickening polymer.

5

The invention also relates to the dyeing processes and dyeing devices using the said composition.

Two types of dyeing may be distinguished in the haircare sector.

The first is semi-permanent or temporary dyeing, or direct dyeing, which uses dyes capable of giving the hair a natural coloration, a more or less pronounced colour change which may withstand shampooing several times. These dyes are also known as direct dyes; they can be used with or without an oxidizing agent. In the presence of an oxidizing agent, the aim is to obtain lightening dyeing. Lightening dyeing is carried out by applying a mixture, prepared at the time of use, of a direct dye and an oxidizing agent to the hair, and makes it possible in particular to obtain, by lightening the melanin in the hair, an advantageous effect such as a unified colour in the case of grey hair, or to bring out the colour in the case of naturally pigmented hair.

The second is permanent dyeing or oxidation dyeing. This is carried out with so-called "oxidation" dyes comprising oxidation dye precursors and couplers.

Oxidation dye precursors, commonly known as "oxidation bases", are compounds which are initially colourless or weakly coloured which develop their dyeing power on

20

LAW OFFICES

the hair in the presence of oxidizing agents added at the time of use, leading to the formation of coloured compounds and dyes. The formation of these coloured compounds and dyes results either from an oxidative condensation of the "oxidation bases" with themselves or from an oxidative condensation of the oxidation bases with coloration-modifying compounds commonly known as "couplers", which are generally present in the dye compositions used in oxidation dyeing.

It is known practice to add direct dyes to oxidation dyes in order to vary the shades obtained with the said oxidation dyes or to enrich the shades with glints.

Among the cationic direct dyes available in the sector of dyeing keratin fibres, in particular human keratin fibres, the compounds whose structure is developed in the text hereinbelow are already known; nevertheless, these dyes lead to colorations which have characteristics that are still unsatisfactory as regards the intensity, the homogeneity of the colour distributed along the fibre, in which case the coloration is said to be too selective, and as regards the staying power, in terms of the resistance to the various attacking factors to which the hair may be subjected (light, bad weather, shampooing).

After considerable research conducted in this matter, the Applicant has now discovered that it is possible to obtain novel compositions for dyeing keratin fibres which are capable of giving more intense and yet unselective colorations which show good resistance to the various attacking factors to which the hair may be

5

10

15

20

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000


subjected, by combining at least one specific thickening polymer with at least one known cationic direct dye of the prior art, which have the respective formulae defined below.

This discovery forms the basis of the present invention.

A first subject of the present invention is thus a composition for dyeing keratin fibres, and in particular human keratin fibres such as the hair, containing, in a medium which is suitable for dyeing, (i) at least one cationic direct dye whose structure corresponds to formulae (I) to (IV) defined below, characterized in that it also contains (ii) at least one specific thickening polymer.

(i) The cationic direct dye which can be used according to the present invention is a compound chosen from those of formulae (I), (II), (III), (III') and (IV) below:

a) the compounds of formula (I) below:



in which:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, CARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000
















D represents a nitrogen atom or a -CH group,

R₁ and R₂, which may be identical or different, represent a hydrogen atom; a C₁-C₄ alkyl radical which can be substituted with a -CN, -OH or -NH₂ radical or form, with a carbon atom of the benzene ring, a heterocycle optionally containing oxygen or nitrogen, which can be substituted with one or more C₁-C₄ alkyl radicals; a 4'-aminophenyl radical,

R₃ and R'₃, which may be identical or different, represent a hydrogen atom, a halogen atom chosen from chlorine, bromine, iodine and fluorine, a cyano radical, or a C₁-C₄ alkyl, C₁-C₄ alkoxy or acetyloxy radical,

X⁻ represents an anion preferably chosen from chloride, methyl sulphate and acetate,


A represents a group chosen from the structures A1 to A19 below:




66040763660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000



A₁₆




A₁₇



A₁₈


and



A₁₉

in which R₄ represents a C₁-C₄ alkyl radical which can be substituted with a hydroxyl radical and R₅ represents a C₁-C₄ alkoxy radical, with the proviso that when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is other than an alkoxy radical, then R₁ and R₂ do not simultaneously denote a hydrogen atom;

b) the compounds of formula (II) below:



in which:


R_6 represents a hydrogen atom or a C_1 - C_4 alkyl radical,

R_7 represents a hydrogen atom, an alkyl radical which can be substituted with a -CN radical or with an amino group, a 4'-aminophenyl radical or forms with R_6 a heterocycle optionally containing oxygen and/or nitrogen, which can be substituted with a C_1 - C_4 alkyl radical,

R_8 and R_9 , which may be identical or different, represent a hydrogen atom, a halogen atom such as bromine, chlorine, iodine or fluorine, a C_1 - C_4 alkyl or C_1 - C_4 alkoxy radical or a -CN radical,


X^- represents an anion preferably chosen from chloride, methyl sulphate and acetate,

B represents a group chosen from the structures B1 to B6 below:




in which R_{10} represents a C_1 - C_4 alkyl radical, R_{11} and R_{12} , which may be identical or different, represent a hydrogen atom or a C_1 - C_4 alkyl radical;

c) the compounds of formulae (III) and (III') below:



(III)



(III')

in which:

R_{13} represents a hydrogen atom, a C_1 - C_4 alkoxy radical, a halogen atom such as bromine, chlorine, iodine or fluorine, or an amino radical,

R_{14} represents a hydrogen atom, a C_1 - C_4 alkyl radical or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing oxygen and/or substituted with one or more C_1 - C_4 alkyl groups,

R_{15} represents a hydrogen atom or a halogen atom such as bromine, chlorine, iodine or fluorine,

R_{16} and R_{17} , which may be identical or different, represent a hydrogen atom or a C_1 - C_4 alkyl radical,

$$m = 0 \text{ or } 1,$$

5


E represents a group chosen from the structures E1 to E8 below:




E1




E2




E3




E4




E5



E6



E7



E8

and


in which R' represents a C₁-C₄ alkyl radical;

when m = 0 and when D₁ represents a nitrogen atom, then E can also denote a group of structure E9 below:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

E9




in which R' represents a C₁-C₄ alkyl radical;

d) the compounds of formula (IV) below:




in which:


the symbol G represents a group chosen from the structures G₁ to G₃ below:



G₁



G₂



G₃

in which structures G_1 to G_3 ,

R_{18} denotes a C_1 - C_4 alkyl radical, a phenyl radical which can be substituted with a C_1 - C_4 alkyl radical or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} denotes a C_1 - C_4 alkyl radical or a phenyl radical;

R_{20} and R_{21} , which may be identical or different, represent a C_1 - C_4 alkyl radical, a phenyl radical or together form, in G_1 , a benzene ring substituted with one or more C_1 - C_4 alkyl, C_1 - C_4 alkoxy or NO_2 radicals or together form, in G_2 , a benzene ring optionally substituted with one or more C_1 - C_4 alkyl, C_1 - C_4 alkoxy or NO_2 radicals;

R_{20} can also denote a hydrogen atom;

Z denotes an oxygen or sulphur atom or a group $-NR_{19}$;

M represents a $-CH$, $-CR$ (R denoting C_1 - C_4 alkyl) or $-N^+R_{22}(X^-)_r$ group;

K represents a $-CH$, $-CR$ (R denoting C_1 - C_4 alkyl) or $-N^+R_{22}(X^-)_r$ group;

P represents a $-CH$, $-CR$ (R denoting C_1 - C_4 alkyl) or $-N^+R_{22}(X^-)_r$ group; r denotes zero or 1;

R_{22} represents an O^- anion, a C_1 - C_4 alkoxy radical or a C_1 - C_4 alkyl radical;

R_{23} and R_{24} , which may be identical or different, represent a hydrogen atom, a halogen atom chosen from chlorine, bromine, iodine and fluorine, a C_1 - C_4 alkyl or

C₁-C₄ alkoxy radical or an -NO₂ radical;

X⁻ represents an anion preferably chosen from chloride, iodide, methyl sulphate, ethyl sulphate, acetate and perchlorate;

with the proviso that,

if R₂₂ denotes O⁻, then r denotes zero;

if K or P or M denote C₁-C₄ -N⁺-alkyl X⁻, then R₂₃ or R₂₄ is other than a hydrogen atom;

if K denotes -N⁺R₂₂(X⁻)_r, then M=P= -CH, -CR;

if M denotes -N⁺R₂₂(X⁻)_r, then K=P= -CH, -CR;

if P denotes -N⁺R₂₂(X⁻)_r, then K=M and denote -CH or -CR;


if Z denotes a sulphur atom with R₂₁ denoting C₁-C₄ alkyl, then R₂₀ is other than a hydrogen atom;

if Z denotes -NR₂₂ with R₁₉ denoting C₁-C₄ alkyl, then at least one of the radicals R₁₈, R₂₀ or R₂₁ of the group of structure G₂ is other than a C₁-C₄ alkyl radical;

the symbol J represents:

- (a) a group of

structure J₁ below:



J₁

in which structure J₁,

R₂₅ represents a hydrogen atom, a halogen atom chosen from chlorine, bromine, iodine and fluorine, a C₁-C₄ alkyl or C₁-C₄ alkoxy radical, a radical -OH, -NO₂, -NHR₂₈, -NR₂₉R₃₀, -NHCO (C₁-C₄) alkyl, or forms with R₂₆ a 5- or 6-membered ring which may or may not contain one or more hetero atoms chosen from nitrogen, oxygen and sulphur;

R₂₆ represents a hydrogen atom, a halogen atom chosen from chlorine, bromine, iodine and fluorine, a C₁-C₄ alkyl or C₁-C₄ alkoxy radical or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring which may or may not contain one or more hetero atoms chosen from nitrogen, oxygen and sulphur;

R₂₇ represents a hydrogen atom, an -OH radical, a radical -NHR₂₈ or a radical -NR₂₉R₃₀;


R₂₈ represents a hydrogen atom, a C₁-C₄ alkyl radical, a C₁-C₄ monohydroxyalkyl radical, a C₂-C₄ polyhydroxyalkyl radical or a phenyl radical;

R₂₉ and R₃₀, which may be identical or different, represent a C₁-C₄ alkyl radical, a C₁-C₄ monohydroxyalkyl radical or a C₂-C₄ polyhydroxyalkyl radical;

- (b) a 5- or 6-membered nitrogenous heterocyclic group which can contain other hetero atoms and/or carbonyl groups and which can be substituted with one or more

C₁-C₄ alkyl, amino or phenyl radicals,

and in particular a group of structure J₂ below:



in which structure J₂,

R₃₁ and R₃₂, which may be identical or different, represent a hydrogen atom, a C₁-C₄ alkyl radical or a phenyl radical;

Y denotes the -CO- radical or the radical $\begin{array}{c} \text{CH}_3 \\ | \\ \text{---C=} \end{array}$;







n = 0 or 1, with, when n denotes 1, U denoting a -CO- radical.

In the structures (I) to (IV) defined above, the C₁-C₄ alkyl or alkoxy group preferably denotes methyl, ethyl, butyl, methoxy or ethoxy.






The cationic direct dyes of formulae (I), (II), (III) and (III') which can be used in the dye compositions in accordance with the invention are known compounds and are described, for example, in patent applications WO 95/01772, WO 95/15144 and EP-A-0,714,954. Those of formula (IV) which can be used in the dye compositions in

5

Among the cationic direct dyes of formula (I) which can be used in the dye compositions in accordance with the invention, mention may be made more particularly of the compounds corresponding to the structures (I1) to (I54) below:








CONFIDENTIAL



LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000













662020 662020 662020






LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-406-4000

































Among the compounds of structures (I1) to (I54) described above, the ones most particularly preferred are the compounds corresponding to the structures (I1), (I2), (I14) and (I31).

Among the cationic direct dyes of formula (II) which can be used in the dye compositions in accordance with the invention, mention may be made more particularly of the compounds corresponding to the structures (II1) to (II9) below:




05725.0435-00000











and









Among the cationic direct dyes of formula (III) which can be used in the dye compositions in accordance with the invention, mention may be made more particularly of the compounds corresponding to the structures (III1) to (III18) below:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000







668040 643500




Among the specific compounds of structures (III1) to (III18) described above, the ones most particularly preferred are the compounds corresponding to the structures (III4), (III5) and (III13).

Among the cationic direct dyes of formula (III') which can be used in the dye compositions in accordance with the invention, mention may be made more particularly of the compounds corresponding to the structures (III'1) to (III'3) below:









; and




Among the cationic direct dyes of formula (IV) which can be used in the dye compositions in accordance with the invention, mention may be made more particularly of the compounds of structures (IV)₁ to (IV)₇₇ below:


05725.0435-00000

CN(C)c1ccc(cc1)/N=N/c2ccccc2[N+]([O-])=O (IV)₁







(IV)₁₃




(IV)₁₄



(IV)₁₅



(IV)₁₆



(IV)₁₇






05725.0435-00000





LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000














662020 662020 662020

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-406-4000









(IV)₄₇



(IV)₄₈



(IV)₄₉



(IV)₅₀


036069-07099

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000









(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


CH₃SO₄⁻




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

663612-630360

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

The cationic direct dye(s) used according to the invention preferably represent(s) from 0.001 to 10% by weight approximately relative to the total weight of the dye composition and even more preferably from 0.005 to 5% by weight approximately relative to this weight.

(ii) The thickening polymer which can be used according to the present invention is chosen from the group consisting of:

- (ii)₁ - nonionic amphiphilic polymers comprising at least one hydrophilic unit and at least one unit containing a fatty chain;
- (ii)₂ - anionic amphiphilic polymers comprising at least one hydrophilic unit and at least one unit containing a fatty chain;
- (ii)₃ - cationic amphiphilic polymers comprising at least one hydrophilic unit and at least one unit containing a fatty chain.

The nonionic amphiphilic polymers comprising at least one hydrophilic unit and at least one unit containing a fatty chain (ii)₁, used according to the invention, are preferably chosen from:

(ii)₁(a) celluloses modified with groups comprising at least one fatty chain; mention may be made, by way of example, of:

- hydroxyethylcelluloses modified with groups comprising at least one fatty chain, such as alkyl, arylalkyl or alkylaryl groups or mixtures thereof, and in which the alkyl groups are preferably C₈-C₂₂, such as the product Natrosol Plus

5
10
15

Grade 330 CS (C₁₆ alkyls) sold by the company Aqualon, or the product Bermocoll EHM 100 sold by the company Berol Nobel,

- hydroxyethylcelluloses modified with groups comprising at least one polyalkylene glycol alkylphenyl ether group, such as the product Amercell Polymer HM-1500 (polyethylene glycol (15) nonylphenyl ether) sold by the company Amerchol.

(ii)₁(b) hydroxypropylguars modified with groups comprising at least one fatty chain, such as the product Esaflor HM 22 (C₂₂ alkyl chain) sold by the company Lamberti, and the products Miracare XC95-3 (C₁₄ alkyl chain) and RE205-1 (C₂₀ alkyl chain) sold by the company Rhône-Poulenc.

(ii)₁(c) polyurethane ethers comprising at least one fatty chain such as C₈-C₃₀ alkyl or alkenyl groups, for instance the products Dapral T 210 and Dapral T 212 sold by the company Akzo.

(ii)₁(d) copolymers of vinylpyrrolidone and of hydrophobic monomers containing a fatty chain;

mention may be made, by way of example, of:

- the products Antaron V216 or Ganex V216 (vinylpyrrolidone/hexadecene copolymer) sold by the company I.S.P.
- the products Antaron V220 or Ganex V220 (vinylpyrrolidone/eicosene copolymer) sold by the company I.S.P.

(ii)₁(e) copolymers of C₁-C₆ alkyl methacrylates or acrylates and of amphiphilic monomers comprising at least one fatty chain, such as, for example, the oxyethylenated methyl methacrylate/stearyl acrylate copolymer sold by the company Goldschmidt under the name Antil 208.

(ii)₁(f) copolymers of hydrophilic methacrylates or acrylates and of hydrophobic monomers comprising at least one fatty chain, such as, for example, the polyethylene glycol methacrylate/lauryl methacrylate copolymer.

The anionic amphiphilic polymers (ii)₂ can be chosen from those:

(ii)₂(a) comprising at least one hydrophilic unit and at least one allyl ether unit containing a fatty chain, and preferably from those in which the hydrophilic unit comprising an unsaturated ethylenic anionic monomer, more particularly of a vinylcarboxylic acid and most particularly of an acrylic acid, a methacrylic acid or mixtures thereof, and in which the allyl ether unit containing a fatty chain corresponds to the monomer of formula (V) below:



in which R' denotes H or CH₃, B denotes an ethylenoxy radical, n is zero or denotes an integer ranging from 1 to 100, R denotes a hydrocarbon-based radical chosen from alkyl and cycloalkyl radicals comprising from 8 to 30 carbon atoms, preferably

5

10

15

10 to 24 and even more particularly from 12 to 18 carbon atoms, and most particularly a C₁₀-C₂₄ alkyl radical.

One unit of formula (V) which is more particularly preferred according to the present invention is a unit in which R' denotes H, n is equal to 10 and R denotes a stearyl (C₁₈) radical.

Anionic amphiphilic polymers of this type are described and prepared according to an emulsion polymerization process in patent EP-0,216,479 B2.

Among the said anionic amphiphilic polymers cited (ii)₂(a) it is particularly preferred according to the invention to use the polymers formed from 20 to 60% by weight of acrylic acid and/or methacrylic acid, from 5 to 60% by weight of lower alkyl (meth)acrylates, from 2 to 50% by weight of allyl ether containing a fatty chain of formula (I), and from 0 to 1% by weight of a crosslinking agent which is a well known copolymerizable polyethylenic unsaturated monomer, such as diallyl phthalate, allyl (meth)acrylate, divinylbenzene, (poly)ethylene glycol dimethacrylate and methylenebisacrylamide.

Among the latter polymers, the ones most particularly preferred are the crosslinked terpolymers of methacrylic acid, of ethyl acrylate, of polyethylene glycol (10 EO) stearyl ether (Steareth-10), in particular those sold by the company Allied Colloids under the names Salcare SC 80 and Salcare SC 90 which are aqueous 30% emulsions of a crosslinked terpolymer of methacrylic acid, of ethyl acrylate and


5

10
15


of Steareth-10 allyl ether (40/50/10).

The anionic amphiphilic polymers (ii)₂ can also be chosen from those:

(ii)₂(b) comprising at least one hydrophilic unit of unsaturated olefinic carboxylic acid type, and at least one unit containing a fatty chain exclusively of (C₁₀-C₃₀)alkyl ester of unsaturated carboxylic acid type, and preferably from those in which the hydrophilic unit of unsaturated olefinic carboxylic acid type corresponds to the monomer of formula (VI) below:



in which formula R¹ denotes H or CH₃ or C₂H₅, i.e. acrylic acid, methacrylic acid or ethacrylic acid units, and in which the unit containing a fatty chain of (C₁₀-C₃₀)alkyl ester of unsaturated carboxylic acid type corresponds to the monomer of formula (VII) below:



in which formula R¹ denotes H or CH₃ or C₂H₅ (i.e. acrylate, methacrylate or ethacrylate units) and preferably H (acrylate units) or CH₃ (methacrylate units), R² denoting a C₁₀-C₃₀ alkyl and preferably C₁₂-C₂₂ alkyl radical.

(C₁₀-C₃₀)alkyl esters of unsaturated carboxylic acids in accordance with the invention comprise, for example, lauryl acrylate, stearyl acrylate, decyl acrylate, isodecyl acrylate, dodecyl acrylate and the corresponding methacrylates, lauryl methacrylate, stearyl methacrylate, decyl methacrylate, isodecyl methacrylate and dodecyl methacrylate.

Anionic amphiphilic polymers of this type (ii)₂(b) are described and prepared, for example, according to US patents 3,915,921 and 4,509,949.

Anionic amphiphilic polymers (ii)₂(b) which can be used in the context of the present invention can more particularly denote polymers formed from a mixture of monomers comprising:

- (i) essentially acrylic acid and an ester of formula (VII) described above in which R¹ denotes H or CH₃, R² denoting an alkyl radical containing from 12 to 22 carbon atoms, and a crosslinking agent, such as, for example, those comprising 95 to 60% by weight of acrylic acid (hydrophilic unit), 4 to 40% by weight of C₁₀-C₃₀ alkyl acrylate (unit containing a fatty chain) and 0 to 6% by weight of crosslinking polymerizable monomer, or 98 to 96% by weight of acrylic acid (hydrophilic unit), 1 to 4% by weight of C₁₀-C₃₀ alkyl acrylate (unit containing a fatty chain) and 0.1 to 0.6% by weight of crosslinking polymerizable monomer,
- (ii) essentially acrylic acid and lauryl methacrylate, such as the polymer formed

5

10
15

20

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

5

15

carbon atoms, or mixtures thereof.

The polyacrylates containing amino side groups (ii)₃(c), which may or may not be quaternized, contain, for example, hydrophobic groups such as Steareth-20 [polyoxyethylenated (20) stearyl alcohol].

The alkyl radicals borne by the above quaternized celluloses or hydroxycelluloses preferably comprise from 8 to 30 carbon atoms.

The aryl radicals preferably denote phenyl, benzyl, naphthyl or anthryl groups.

As examples of quaternized alkylhydroxyethyl-celluloses containing C₈-C₃₀ fatty chains, mention may be made of the products Quatrisoft LM200, Quatrisoft LM-X529-18-A, Quatrisoft LM-X529-18-B (C₁₂ alkyl) and Quatrisoft LM-X529-8 (C₁₈ alkyl) sold by the company Amerchol and the products Crodacel QM, Crodacel QL (C₁₂ alkyl) and Crodacel QS (C₁₈ alkyl) sold by the company Croda.

As examples of polyacrylates containing amino side chains, mention may be made of the polymers 8781-124B or 9492-103 from the company National Starch.

It is more particularly preferred, according to the present invention, to use the amphiphilic polymers of nonionic type (ii)₁ and of anionic type (ii)₂ described above and even more particularly the amphiphilic polymers of class (ii)₁(a) and (ii)₂(c) and of class (ii)₂(a) and (ii)₂(b).

The amphiphilic thickening polymers of nonionic, anionic or cationic type used

5

6620" 64560

15

20

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

in the compositions of the present invention are preferably present in a proportion of from 0.01 to 10% by weight approximately, in particular in a proportion of from 0.1 to 5% by weight approximately, relative to the total weight of the dye composition applied to the keratin fibres.

5 The medium which is suitable for dyeing (or support) generally comprising water or of a mixture of water and at least one organic solvent to dissolve the compounds which would not be sufficiently water-soluble. As organic solvents, mention may be made, for example, of C₁-C₄ lower alkanols such as ethanol and isopropanol; aromatic alcohols such as benzyl alcohol, as well as similar products and mixtures thereof.


10 The solvents can be present in proportions preferably of between 1 and 40% by weight approximately relative to the total weight of the dye composition, and even more preferably between 5 and 30% by weight approximately.

15 The pH of the dye composition in accordance with the invention is generally approximately between 2 and 11 and preferably approximately between 5 and 10. It can be adjusted to the desired value using acidifying or basifying agents usually used for dyeing keratin fibres.

 Among the acidifying agents, mention may be made, by way of example, of inorganic or organic acids such as hydrochloric acid, orthophosphoric acid, sulphuric acid, carboxylic acids such as acetic acid, tartaric acid, citric acid and lactic acid,

and sulphonic acids.

Among the basifying agents, mention may be made, by way of example, of aqueous ammonia, alkaline carbonates, alkanolamines such as mono-, di- and triethanolamine and derivatives thereof, sodium hydroxide, potassium hydroxide and the compounds of formula (VIII) below:



in which W is a propylene residue optionally substituted with a hydroxyl group or a C₁-C₆ alkyl radical; R₃₃, R₃₄, R₃₅ and R₃₆, which may be identical or different, represent a hydrogen atom or a C₁-C₆ alkyl or C₁-C₆ hydroxyalkyl radical.

In addition to the cationic direct dye(s) (i) defined above, the dye composition in accordance with the invention can contain one or more additional direct dyes which can be chosen, for example, from nitrobenzene dyes, anthraquinone dyes, naphthoquinone dyes, triarylmethane dyes, xanthene dyes and azo dyes which are non-cationic.

When it is intended for oxidation dyeing, the dye composition in accordance with the invention contains, in addition to the cationic direct dye(s) (i), one or more oxidation bases chosen from the oxidation bases conventionally used for oxidation dyeing and among which mention may be made in particular of para-

5

10

15

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases.

When they are used, the oxidation base(s) preferably represent(s) from 0.0005 to 12% by weight approximately relative to the total weight of the dye composition, and even more preferably from 0.005 to 6% by weight approximately relative to this weight.

When it is intended for oxidation dyeing, the dye composition in accordance with the invention can also contain, in addition to the cationic direct dye (i) and the thickening polymer (ii) as well as the oxidation bases, one or more couplers so as to modify the shades obtained or to enrich them with glints, by using the cationic direct dye(s) (i) and the oxidation base(s).

The couplers which can be used in the dye composition in accordance with the invention can be chosen from the couplers used conventionally in oxidation dyeing and among which mention may be made in particular of meta-phenylenediamines, meta-aminophenols, meta-diphenols and heterocyclic couplers.

When it is (they are) present, the coupler(s) preferably represent(s) from 0.0001 to 10% by weight approximately relative to the total weight of the dye composition, and even more preferably from 0.005 to 5% by weight approximately relative to this weight.

The dye composition in accordance with the invention can also contain

various adjuvants conventionally used in compositions for dyeing the hair, such as antioxidants, penetrating agents, sequestering agents, fragrances, buffers, dispersing agents, surfactants, film-forming agents, ceramides, preserving agents, screening agents and opacifiers.

5

Needless to say, a person skilled in the art will take care to select this (these) optional complementary compound(s) such that the advantageous properties intrinsically associated with the dye composition in accordance with the invention are not, or are not substantially, adversely affected by the addition(s) envisaged.

The dye composition according to the invention can be in various forms, such as in the form of liquids, shampoos, creams or gels or any other form which is suitable for dyeing keratin fibres, and in particular human hair. It can be obtained by mixing, at the time of use, a composition, which may be pulverulent, containing the cationic direct dye(s) with a composition containing the specific thickening polymer.

15

When the combination of the cationic direct dye (i) and the thickening polymer (ii) according to the invention is used in a composition intended for oxidation dyeing (in which case one or more oxidation bases are used, optionally in the presence of one or more couplers) or when it is used in a composition intended for lightening direct dyeing, then the dye composition in accordance with the invention also comprises at least one oxidizing agent chosen, for example, from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts such as perborates and

20

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

persulphates, and enzymes such as peroxidases, lactases and two-electron oxidoreductases. It is particularly preferred to use hydrogen peroxide or enzymes.

Another subject of the invention is a process for dyeing keratin fibres, and in particular human keratin fibres such as the hair, using the dye composition as defined above.

According to a first variant of this dyeing process in accordance with the invention, at least one dye composition as defined above is applied to the fibres, for a period which is sufficient to develop the desired coloration, after which the fibres are rinsed, optionally washed with shampoo, rinsed again and dried.

The time required to develop the coloration on the keratin fibres is generally between 3 and 60 minutes and even more specifically between 5 and 40 minutes.

According to a second variant of this dyeing process in accordance with the invention, at least one dye composition as defined above is applied to the fibres, for a period which is sufficient to develop the desired coloration, without final rinsing.

According to one specific embodiment of this dyeing process, and when the dye composition in accordance with the invention comprises at least one oxidation base and at least one oxidizing agent, the dyeing process comprises a first step which consists in separately storing, on the one hand, a composition (A1) comprising, in a medium which is suitable for dyeing, at least one cationic direct dye (i) as defined above and at least one oxidation base, and, on the other hand, a

5

10

15

20

25

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

composition (B1) comprising, in a medium which is suitable for dyeing, at least one oxidizing agent, and then in mixing them together at the time of use, after which this mixture is applied to the keratin fibres, the composition (A1) or the composition (B1) containing the thickening polymer (ii) as defined above.

5

According to another specific embodiment of this dyeing process, and when the dye composition in accordance with the invention comprises at least one oxidizing agent, the dyeing process comprises a first step which consists in separately storing, on the one hand, a composition (A2) comprising, in a medium which is suitable for dyeing, at least one cationic direct dye (i) as defined above, and, on the other hand, a composition (B2) comprising, in a medium which is suitable for dyeing, at least one oxidizing agent, and then in mixing them together at the time of use, after which this mixture is applied to the keratin fibres, the composition (A2) or the composition (B2) containing the thickening polymer as defined above.

15

Another subject of the invention is a multi-compartment dyeing device or dyeing "kit" or any other multi-compartment packaging system, a first compartment of which comprises the composition (A1) or (A2) as defined above and a second compartment of which comprises the composition (B1) or (B2) as defined above. These devices can be equipped with means for dispensing the desired mixture onto the hair, such as the devices described in patent FR 2,586,913 in the name of the

20

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

Applicant.

The examples which follow are intended to illustrate the invention without, however, limiting its scope.

EXAMPLES

EXAMPLES 1 to 3:

The three direct dyeing compositions given in the table below were prepared:

(all contents expressed in grams)

5

66020 63098 62

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

	Example 1	Example 2	Example 3
Cationic direct dye of formula (I11)	0.2		
Cationic direct dye of formula (I14)		0.2	
Cationic direct dye of formula (IV27)			0.1
Diurethane (HMD) of oxy- ethylenated (66 EO) and oxy- propylenated (14 PO) C ₁₆ -C ₁₈ alcohols, sold under the name Dapral T212 by the company Akzo	1.0 AM*		
Methacrylic acid/ethyl acrylate/Steareth 10 allyl ether crosslinked terpolymer sold as a 30% by weight emulsion under the name Salcare SC90 by the company Allied Colloid		1.0 AM*	
Acrylic acid/C ₁₀ -C ₃₀ alkyl acrylate crosslinked copolymer sold under the name Pemulen TR1 by the company Goodrich			1.0 AM*
Ethanol	10	10	10

5

10
15
20

20

2-Amino-2-methyl-1-propanol qs	pH 9	pH 9	pH 9
Demineralized water qs	100	100	100

AM* denotes active material

5

The above compositions were each applied for 30 minutes to locks of natural grey hair containing 90% white hairs. The locks of hair were then rinsed, washed with a standard shampoo and then dried.

The locks were dyed in the following shades:

Examples	Shades obtained
1	Bright red
2	Bright orange
3	Bright purple

10

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000


WHAT IS CLAIMED IS:

1. A ready-to-use composition for dyeing fibers, comprising:

(i) at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, and

(ii) at least one thickening polymer;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R₃ and R'₃, which may be identical or different, are chosen from a hydrogen

atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,


X⁻ is chosen from anions,

A is chosen from structures A₁ to A₁₉ below:


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




A₁




A₂




A₃



A₄




A₅




A₆




A₇




A₈




A₉




A₁₀




A₁₁




A₁₂



A₁₃




A₁₄




A₁₅

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000



A₁₆

A₁₇A₁₈CN1C=CC(R4)N1R4 A_{19}

A₁₉


R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of

formula:



in which:

R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,


B is chosen from structures B_1 to B_6 below:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000



(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(iii)

R_{13} is chosen from a hydrogen atom, C₁-C₄ alkoxy radicals, halogen atoms and an amino radical.

R₁₄ is chosen from a hydrogen atom, C₁-C₄ alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C₁-C₄ alkyl radicals.

R₁₅ is chosen from a hydrogen atom and halogen atoms,

R₁₆ and R₁₇, which may be identical or different, are chosen from a hydrogen atom and C₁-C₄ alkyl radicals,

D₁ and D₂, which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$$m = 0 \text{ or } 1,$$

wherein when R₁₃ is an unsubstituted amino group, D₁ and D₂ are both a -CH


E is chosen from structures E_1 to E_8 below:



*c1nc(R')n(R')c1

•

further chosen from structure E9 below:




of formula:




in which:

$$\begin{array}{c} R_{20} \quad R_{21} \\ \diagdown \quad / \\ N \quad N^+ \\ / \quad | \\ R_{19} \quad R_{18} \end{array} \quad X^-$$

G₁



G₂



G₃

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-406-4000

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1-C_4 alkyl radicals, R_{20} is not a hydrogen atom;

if Z is $-NR_{22}$ with R_{19} being a radical chosen from C_1-C_4 alkyl radicals, at least one of the radicals R_{18} , R_{20} and R_{21} of G_2 is not chosen from C_1-C_4 alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J_1 below:



in which:

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals, an -OH radical, an $-NO_2$ radical, $-NHR_{28}$ radicals, $-NR_{29}R_{30}$ radicals, $-NHCO(C_1-C_4 \text{ alkyl})$ radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least

one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;







(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and






2. The composition according to claim 1, wherein said fibers are keratin fibers.

4. The composition according to claim 1, wherein said halogen atoms of R₃, R'₃, R₈, R₉, and R₁₅, which may be identical or different, are chosen from chlorine, bromine, iodine and fluorine.

6. The composition according to claim 1, wherein said heterocycle formed from R₆ and R₇ comprises a heteroatom chosen from oxygen and nitrogen.

LAW OFFICES















05725.0435-00000






LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




















66000-62500000

















8. The composition according to claim 7, wherein said at least one cationic direct dye chosen from compounds of formula (I) are chosen from said compounds of formulae (I1), (I2), (I14) and (I31).

9. The composition according to claim 1, wherein said at least one cationic direct dye chosen from compounds of formulae (II) are chosen from compounds of formulae (II1) to (II9) below:



LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




05725.0435-00000






and









10. The composition according to claim 1, wherein said at least one cationic direct dye chosen from compounds of formula (III) are chosen from compounds of formulae (III1) to (III18) below:








05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000








62-62000-00000

LAW OFFICES







FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000

11. The composition according to claim 10, wherein said at least one cationic direct dye chosen from compounds of formula (III) are chosen from said compounds of formulae (III4), (III5) and (III13).

12. The composition according to Claim 1, wherein said at least one cationic direct dye chosen from compounds of formula (III') are chosen from compounds of formulae (III'1) to (III'3) below:




13. The composition according to Claim 1, wherein said at least one




000004350000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₁₃




(IV)₁₄




(IV)₁₅




(IV)₁₆




(IV)₁₇




(IV)₁₈




(IV)₁₉




(IV)₂₀




(IV)₂₁




(IV)₂₂




(IV)₂₃




(IV)₂₄



(IV)₂₅




(IV)₂₆








(IV)₂₇

CH₃SO₄⁻




(IV)₂₈


CH₃SO₄⁻




Cc1ccccc1[N+]([CH3-])=N=Nc2ccc(cc2)Nc3ccccc3.[O-]S(=O)(=O)C (IV)₃₄




(IV)₃₈




(IV)₃₉




(IV)₄₀




(IV)₄₁




(IV)₄₂




(IV)₄₃



(IV)₄₄




(IV)₄₅




(IV)₄₈

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₄₇




(IV)₄₈




(IV)₄₉




(IV)₅₀




(IV)₅₁




(IV)₅₂



(IV)₅₃




(IV)₅₄




(IV)₅₅


606620-030560




(IV)₅₆




(IV)₅₇




(IV)₅₈




(IV)₅₉




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


CH₃SO₄⁻




(IV)₆₉




(IV)₇₀




(IV)₇₁




(IV)₇₂




(IV)₇₃




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

14. The composition according to claim 1, wherein said at least one cationic direct dye is present in an amount ranging from 0.001 to 10% by weight relative to the total weight of the composition.

15. The composition according to claim 14, wherein said at least one cationic direct dye is present in an amount ranging from 0.005 to 5% by weight relative to the total weight of the composition.

16. The composition according to claim 1, wherein said at least one thickening polymer is chosen from said nonionic amphiphilic polymers, wherein said at least one hydrophilic unit is chosen from celluloses modified with at least one unit comprising a fatty chain.

17. The composition according to claim 16, wherein said celluloses are chosen from hydroxyethylcelluloses, and wherein said at least one unit comprising a fatty chain is chosen from alkyl, aralkyl, and alkylaryl groups and mixtures thereof.

18. The composition according to Claim 17, wherein said at least one unit comprising a fatty chain is chosen from C₈-C₂₂ chains.

19. The composition according to claim 17, wherein said at least one unit comprising a fatty chain is chosen from C₁₆ alkyl groups.

20. The composition according to claim 16, wherein said at least unit comprising a fatty chain is chosen from polyalkylene glycol alkylphenyl ethers.

21. The composition according to Claim 20, wherein said polyalkylene

glycol alkylphenyl ethers are polyethylene glycol (15) nonylphenyl ether.

22. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers, and further wherein said hydrophilic unit is chosen from hydroxypropylguars modified with at least one unit comprising a fatty chain.

23. The composition according to claim 22, wherein said at least one unit comprising a fatty chain is chosen from C₁₄, C₂₀, and C₂₂ alkyl chains.

24. The composition according to claim 1, wherein said at least one thickening polymer is chosen from nonionic amphiphilic polymers, and further wherein said at least one hydrophilic unit is chosen from polyurethane ethers comprising at least one unit comprising a fatty chain chosen from C₈-C₃₀ alkyl and alkenyl chains.

25. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from copolymers of vinylpyrrolidone and of hydrophobic monomers containing a fatty chain.

26. The composition according to claim 25, wherein in said copolymers are chosen from vinylpyrrolidone/hexadecene copolymers and vinylpyrrolidone/eicosene copolymers.

27. The composition according to claim 1, wherein said at least one

thickening polymer chosen from nonionic amphiphilic polymers is chosen from copolymers of C₁-C₆ alkyl methacrylates and of C₁-C₆ alkyl acrylates and of amphiphilic monomers comprising at least one fatty chain.

28. The composition according to claim 27, wherein said thickening polymer chosen from nonionic amphiphilic polymers is chosen from oxyethylenated methyl methacrylate/stearyl acrylate copolymers.

29. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from copolymers of hydrophilic methacrylates and of hydrophilic acrylates and of hydrophobic monomers comprising at least one fatty chain.

30. The composition according to claim 29, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from polyethylene glycol methacrylate/lauryl methacrylate copolymers.

31. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from: cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, and polyethylene glycol methacrylate/lauryl methacrylate.


32. The composition according to claim 1, wherein said at least one

thickening polymer is chosen from said anionic amphiphilic polymers, and further wherein said at least one hydrophilic unit comprises an unsaturated ethylenic anionic monomer and said at least one unit comprising a fatty chain is chosen from allyl ethers comprising a fatty chain.

33. The composition according to claim 32, wherein said unsaturated ethylenic anionic monomer is chosen from vinylcarboxylic acids.

34. The composition according to claim 33, wherein said vinylcarboxylic acids are chosen from acrylic acid, methacrylic acid and mixtures thereof.

35. The composition according to claim 32, wherein said the allyl ethers comprising a fatty chain are chosen from monomers of formula (V) below:



in which:

R' is chosen from H and CH₃,

B is an ethylenoxy radical,

n is zero or is chosen from an integer ranging from 1 to 100, and

R is chosen from hydrocarbon-based radicals chosen from alkyl and cycloalkyl radicals comprising from 8 to 30 carbon atoms.

36. The composition according to Claim 35, wherein said hydrocarbon-based radicals are chosen from alkyl radicals comprising from 10 to 24 carbon atoms.


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

37. The composition according to claim 36, wherein said R' is a hydrogen atom, n is equal to 10, and R is a stearyl radical.

38. The composition according to claim 32, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is crosslinked.

39. The composition according to claim 32, wherein said at least one thickening polymer chosen from anionic amphiphilic polymers is a polymer formed from a mixture of monomers comprising acrylic acid, a crosslinking agent, and an ester of formula (VII) below:



in which:

R¹ is chosen from H and CH₃, and

R² is chosen from alkyl radicals comprising from 12 to 22 carbon atoms.


40. The composition according to claim 32, wherein said at least one thickening polymer chosen from anionic amphiphilic polymers is a polymer of acrylic acid and of lauryl methacrylate.

41. The composition according to claim 1, wherein said anionic amphiphilic polymer is formed by emulsion polymerization of:

from 20 to 60% by weight of an acid chosen from acrylic acid, methacrylic acid, and mixtures thereof;

from 5 to 60% by weight of acrylates chosen from lower alkyl (meth)acrylates;
from 2 to 50% by weight of allyl ethers containing a fatty chain, and
from 0 to 1% by weight of a crosslinking agent,

wherein said the allyl ethers comprising a fatty chain are chosen from
monomers of formula (V) below:



in which:

R' is chosen from H and CH₃,

B is an ethylenoxy radical,

n is zero or is chosen from an integer ranging from 1 to 100, and

R is chosen from hydrocarbon-based radicals chosen from alkyl and
cycloalkyl radicals comprising from 8 to 30 carbon atoms.

42. The composition according to claim 41, wherein said polymer is a
crosslinked polymer comprising 40% by weight of methacrylic acid residue, 50% by
weight of ethyl acrylate residue and 10% by weight of polyethylene glycol (10 EO)
stearyl ether residue.


43. The composition according to claim 1, wherein said at least one
thickening polymer chosen from said anionic amphiphilic polymers is chosen from
crosslinked terpolymers of methacrylic acid, of ethyl acrylate, of polyethylene glycol
(10 EO) stearyl ether.

44. The composition according to claim 43, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is chosen from crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether.

45. The composition according to claim 44, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is in the form of an aqueous 30% emulsion of said crosslinked terpolymer.

46. The composition according to claim 1, wherein said at least one thickening polymer is chosen from anionic amphiphilic polymers, wherein said at least one hydrophilic unit is chosen from unsaturated olefinic carboxylic acids and further wherein said at least one unit comprising a fatty chain is chosen from (C₁₀-C₃₀)alkyl esters of unsaturated carboxylic acids.


47. The composition according to claim 46, wherein said hydrophilic unit is chosen from monomers of formula (VI) below:



in which R¹ is chosen from H, CH₃, and C₂H₅.

48. The composition according to claim 47, wherein said hydrophilic unit is chosen from acrylic acid, methacrylic acid and mixtures thereof.

49. The composition according to claim 47, wherein said at least one unit comprising a fatty chain is chosen from esters of monomers of formula (VII) below:



in which:

R^1 is chosen from H, CH_3 , and C_2H_5 , and

R^2 is chosen from C_{10} - C_{30} alkyl radicals.

50. The composition according to claim 49, wherein said R^1 is chosen from H and CH_3 .

51. The composition according to claim 49, wherein said R^2 is chosen from C_{12} - C_{22} alkyl radicals.

52. The composition according to claim 46, wherein said $(\text{C}_{10}$ - $\text{C}_{30})$ alkyl esters of unsaturated carboxylic acids are chosen from lauryl acrylate, stearyl acrylate, decyl acrylate, isodecyl acrylate, dodecyl acrylate and the corresponding methacrylates, lauryl methacrylate, stearyl methacrylate, decyl methacrylate, isodecyl methacrylate and dodecyl methacrylate.

53. The composition according to claim 46, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is chosen from:

polymers formed from a mixture of acrylic acid and lauryl methacrylate

monomers, and

crosspolymers of acrylates/C10-30 alkyl acrylates.

54. The composition according to claim 1, wherein said at least one thickening polymer chosen from said cationic amphiphilic polymers is chosen from quaternized cellulose compounds and polyacrylates containing amino side groups.

55. The composition according to claim 54, wherein said quaternized cellulose compounds and polyacrylates containing amino side groups comprise from 8 to 30 carbon atoms.

56. The composition according to claim 54, wherein said quaternized cellulose compounds are chosen from quaternized celluloses modified with at least one fatty chain chosen from alkyl, arylalkyl and alkylaryl chains comprising at least 8 carbon atoms, and mixtures thereof.

57. The composition according to claim 54, wherein said quaternized cellulose compounds are chosen from quaternized hydroxyethylcelluloses modified with at least one fatty chain chosen from alkyl, arylalkyl and alkylaryl chains comprising at least 8 carbon atoms and mixtures thereof.

58. The composition according to claim 54, wherein said polyacrylates containing amino side groups are quaternized.

59. The composition according to claim 54, wherein said polyacrylates containing amino side groups further comprise hydrophobic groups.

66020" 6'59560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000

60. The composition according to claim 59, wherein said hydrophobic groups are polyoxyethylenated (20) stearyl alcohol.

61. The composition according to claim 54, wherein said cationic amphiphilic polymers are chosen from polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

62. The composition according to claim 1, wherein said least one thickening polymer is present in an amount ranging from 0.01 to 10% by weight relative to the total weight of said composition.

63. The composition according to claim 62, wherein said at least one thickening polymer is present in an amount ranging from 0.1 to 5% by weight relative to the total weight of said composition.

64. The composition according to claim 1, further comprising water or a mixture of water and at least one organic solvent.

65. The composition according to claim 1, wherein said composition has a pH ranging from 2 to 11.

66. The composition according to claim 65, wherein said composition has a pH ranging from 5 to 10.

67. The composition according to claim 1, further comprising at least one

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

non-cationic direct dye chosen from nitrobenzene dyes, anthraquinone dyes, naphthoquinone dyes, triarylmethane dyes, xanthene dyes and azo dyes.

68. The composition according to claim 1, further comprising at least one oxidation base chosen from para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases.

69. The composition according to claim 68, wherein said composition is present in an amount sufficient for oxidation dyeing.

70. The composition according to claim 68, wherein said at least one oxidation base is present in an amount ranging from 0.0005 to 12% by weight relative to the total weight of said composition.

71. The composition according to claim 70, wherein said at least one oxidation base is present in an amount ranging from 0.005 to 6% by weight relative to the total weight of said composition.

72. The composition according to claim 68, further comprising at least one coupler chosen from meta-phenylenediamines, meta-aminophenols, meta-diphenols and heterocyclic couplers.

73. The composition according to claim 72, wherein said at least one coupler is present in an amount ranging from 0.0001 to 10% by weight relative to the total weight of said composition.

74. The composition according to claim 73, wherein said at least one

coupler is present in an amount ranging from 0.005 to 5% by weight relative to the total weight of said composition.

75. The composition according to claim 68, wherein said composition is present in an amount sufficient for oxidation dyeing.

76. The composition according to claim 68, further comprising at least one oxidizing agent.

77. The composition according to claim 76, wherein said at least one oxidizing agent is chosen from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.

78. The composition according to claim 1, wherein said composition is present in an amount sufficient for lightening direct dyeing.

79. The composition according to claim 1, further comprising at least one oxidizing agent.

80. The composition according to claim 79, wherein said at least one oxidizing agent is chosen from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.

81. The composition according to claim 1, wherein said composition is in a form chosen from a shampoo, a cream, and a gel.







82. A ready-to-use composition for dyeing fibers, comprising:

— at least one cationic direct dye chosen from:

653020 "63020"

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000








00000629600

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




















05725.0435-00000






LAW OFFICES






FINNEGAN, HENDERSON,
 FARABOW, GARRETT,
 & DUNNER, L.L.P.
 1300 I STREET, N.W.
 WASHINGTON, D. C. 20005
 202-408-4000






























668940-630360

LAW OFFICES



FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




















and













;




;




; and












;










; and




05725.0435-00000









(IV)₁₃




(IV)₁₄




(IV)₁₅




(IV)₁₆




(IV)₁₇




(IV)₁₈




(IV)₁₉




(IV)₂₀




(IV)₂₁




(IV)₂₂




(IV)₂₃




(IV)₂₄



(IV)₂₅




(IV)₂₆








(IV)₂₇


CH₃SO₄⁻




(IV)₂₈

CH₃SO₄⁻







(IV)₃₄



(IV)₃₅







(IV)₃₆



(IV)₃₇

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₄₂




(IV)₄₃



(IV)₄₄







(IV)₄₅




(IV)₄₆


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₅₁




(IV)₅₂




(IV)₅₃




(IV)₅₄




(IV)₅₅




(IV)₅₆




(IV)₅₇




(IV)₅₈




(IV)₅₉




(IV)₆₀




(IV)₆₁



(IV)₆₂



(IV)₆₃



(IV)₆₄







— at least one thickening polymer chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15)
nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of
vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of
oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of
oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and
polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of
methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked
terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of
acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic
acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C10-30
alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-
hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose
cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium
chloride.




83. A ready-to-use composition for dyeing fibers, comprising:

— at least one cationic direct dye chosen from compounds of formulae (I1),
(I14), and (IV27) below:

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



; and

- at least one thickening polymer chosen from: diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether, and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate.


84. A process for dyeing fibers, comprising applying a ready-to-use composition for the oxidation dyeing of fibers to said fibers and developing for a

period of time sufficient to achieve the desired coloration, wherein said composition comprises:

(i) at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, and

(ii) at least one thickening polymer;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a $-CH$ group,

R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from $-CN$, $-OH$ and $-NH_2$ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen

atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,

X⁻ is chosen from anions,


A is chosen from structures A₁ to A₁₉ below:

05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000






A₁₆




A₁₇



A₁₈

and



A₁₉

in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and


wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

formula:



in which:

R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,


R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




in which:

R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(iii)

R₁₃ is chosen from a hydrogen atom, C₁-C₄ alkoxy radicals, halogen atoms and an amino radical,

R₁₄ is chosen from a hydrogen atom, C₁-C₄ alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C₁-C₄ alkyl radicals.

R₁₅ is chosen from a hydrogen atom and halogen atoms,

R₁₆ and R₁₇, which may be identical or different, are chosen from a hydrogen atom and C₁-C₄ alkyl radicals,

D₁ and D₂, which may be identical or different, are chosen from a nitrogen atom and a -CH group,


$$m = 0 \text{ or } 1,$$

wherein when R₁₃ is an unsubstituted amino group, D₁ and D₂ are both a -CH


group and $m = 0$,

X^- is chosen from anions,


E is chosen from structures E_1 to E_8 below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9


in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:




in which:


G is chosen from structures G₁ to G₃ below:



G₁



G₂



G₃

in which:

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₁₉ is chosen from C₁-C₄ radicals and a phenyl radical;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.







85. The process according to claim 84, further comprising washing said fibers with shampoo, rinsing said fibers and drying said fibers.






86. A process for dyeing fibers, comprising applying a ready-to-use composition for the oxidation dyeing of fibers to said fibers and developing for a period of time sufficient to achieve the desired coloration, wherein said composition comprises:

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




















663040 643060

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000






















005630.02905600






LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000
















05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000











668020-659960

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000

CN1C=NC2=C1S=C2N=Nc3ccc(N(C)C)cc3.[CH3-]S(=O)(=O)O (II9)




05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000






;



; and









66020" 6'59560


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000












(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃

668020" 6/5/98 60


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







(IV)₂₉




(IV)₃₀



(IV)₃₁



(IV)₃₂







(IV)₃₃

000000-000000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000


CN1C=CC=C(N=Nc2ccc(N(C)C)cc2)C1.[CH3-]S(=O)(=O)O (IV)₃₈




(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆



(IV)₄₈




(IV)₄₉




(IV)₅₀







(IV)₅₆




(IV)₅₇




(IV)₅₈




(IV)₅₉




(IV)₆₀




(IV)₆₁




(IV)₆₂




(IV)₆₃




(IV)₆₄



(IV)₆₅




(IV)₆₆




(IV)₆₇


CH₃SO₄⁻




(IV)₆₈




(IV)₆₉




(IV)₇₀




(IV)₇₁




(IV)₇₂




(IV)₇₃




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

— at least one thickening polymer is chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;




cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

87. The process according to claim 86, further comprising washing said fibers with shampoo, rinsing said fibers and drying said fibers.

88. A process for dyeing fibers, comprising applying a ready-to-use

composition for the oxidation dyeing of fibers to said fibers and developing for a period of time sufficient to achieve the desired coloration, wherein said composition comprises:

- at least one cationic direct dye chosen from compounds of formulae (I1), (I14), and (I27) below:



; and

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

- at least one thickening polymer chosen from: diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, crosslinked terpolymers of methacrylic acid/ethylacrylate/stearic acid allyl ether, and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate.

89. The process according to claim 88, further comprising washing said fibers with shampoo, rinsing said fibers and drying said fibers.

90. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,


applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below,

(i) at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, and

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;


R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,

X⁻ is chosen from anions,


A is chosen from structures A₁ to A₁₉ below:

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




A₁




A₂




A₃




A₄




A₅




A₆




A₇




A₈




A₉




A₁₀




A₁₁




A₁₂



A₁₃



A₁₄




A₁₅


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000



A₁₆




A₁₇



A₁₈

and



A₁₉;

in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and


wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

formula:



in which:

R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,


R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,


B is chosen from structures B_1 to B_6 below:

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




B1




B2




B3



B4



B5




B6

in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,


$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH


group and $m = 0$,

X^- is chosen from anions,


E is chosen from structures E_1 to E_8 below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₁₉ is chosen from C₁-C₄ radicals and a phenyl radical;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

if Z is a sulphur atom with R₂₁ being a radical chosen from C₁-C₄ alkyl radicals, R₂₀ is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J₁ below:



in which:

R₂₅ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C₁-C₄) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least

one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

91. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,







applying said mixture to said fibers, and






developing for a period of time sufficient to achieve the desired coloration,






- wherein said first composition comprises at least one cationic direct dye chosen from:






LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000






























LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000












663220-6435660






LAW OFFICES





FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000


































;










;









; and

















(IV)₁₈




(IV)₁₉




(IV)₂₀





(IV)₂₁









(IV)₂₂




(IV)₂₃









(IV)₃₄







(IV)₃₅









(IV)₃₆




(IV)₃₇









(IV)₄₇




(IV)₄₈




(IV)₄₉




(IV)₅₀




(IV)₅₁




(IV)₅₂




(IV)₅₃




(IV)₅₄




(IV)₅₅




(IV)₅₆




(IV)₅₇




(IV)₅₈




(IV)₅₉




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


CH₃SO₄⁻




(IV)₆₅




(IV)₆₆




(IV)₆₇




(IV)₆₈




(IV)₆₉




(IV)₇₀




(IV)₇₁




(IV)₇₂




(IV)₇₃




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,
 - wherein said at least one oxidizing agent is chosen from:
hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes;
and
 - wherein said at least one thickening polymer is chosen from:
nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;
anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C10-30 alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;
cationic amphiphilic polymers chosen from: polyquaternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

92. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,


applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

– wherein said first composition comprises at least one cationic direct dye and at least one thickening polymer,

(i) at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below,

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a


carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,


X⁻ is chosen from anions,

A is chosen from structures A₁ to A₁₉ below:


66020 "C" 03460




A₁




A₂




A₃



A₄




A₅




A₆




A₇




A₈




A₉




A₁₀




A₁₁




A₁₂




A₁₃




A₁₄




A₁₅



A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:






in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,


$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

E is chosen from structures E_1 to E_8 below:




and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;


wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

if Z is a sulphur atom with R₂₁ being a radical chosen from C₁-C₄ alkyl radicals, R₂₀ is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J₁ below:



in which:

R₂₅ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C₁-C₄) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₆ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and

— wherein said second composition comprises at least one oxidizing agent.

93. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,







applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises at least one cationic direct dye and at least one thickening polymer,






- wherein said at least one cationic direct dye is chosen from:

6680421 6409660



LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000













663040 6290960






LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000














663020 663020

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000








05725.0435-00000

LAW OFFICES





FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000












LAW OFFICES



FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000














and










66040 6450960




;




;




; and












;










; and




668020 668020 668020









(IV)₁₃




(IV)₁₄




(IV)₁₅




(IV)₁₆




(IV)₁₇




(IV)₁₈




(IV)₁₉




(IV)₂₀




(IV)₂₁




(IV)₂₂




(IV)₂₃




(IV)₂₄




(IV)₂₅



(IV)₂₆









(IV)₂₇




(IV)₂₈

66360-6259e60







(IV)₃₄



(IV)₃₅




(IV)₃₆




(IV)₃₇


CN1C=CC=C(C1=N)N=Nc2ccc(cc2)N(C)C.[CH3-]S(=O)(=O)O (IV)₃₈




(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆



(IV)₄₈




(IV)₄₉




(IV)₅₀







(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


095039-070899

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂



(IV)₆₃




(IV)₆₄


668040 62503660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₆₅



(IV)₆₆



(IV)₆₇



(IV)₆₈





- wherein said at least one thickening polymer is chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquaternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride; and

- wherein said second composition comprises at least one oxidizing agent chosen from: hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.

94. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,


thereafter mixing said first and second compositions,

applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

– wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,















X^- is chosen from anions,

A is chosen from structures A_1 to A_{19} below:

05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



C1=C(R4)N(R4)C(R4)=N1 A_{19}

LAW OFFICES



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:





in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;


(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,


$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

E is chosen from structures E_1 to E_8 below:




320



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9

in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:






in which:

G is chosen from structures G₁ to G₃ below:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

if Z is a sulphur atom with R₂₁ being a radical chosen from C₁-C₄ alkyl radicals, R₂₀ is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J₁ below:



in which:

R₂₅ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C₁-C₄) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₆ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

95. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,

applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,







- wherein said first composition comprises at least one cationic direct dye and at least one oxidation base,






- wherein said at least one cationic direct dye is chosen from:

66000" 66000" 66000"

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000















663060 650360

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000















05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000










668020 643560

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



0000206435000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000








000020" 05032600

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000











66320-63960

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000






000020 02509260


LAW OFFICES

FINNEGAN, HENDERSON,
 FARABOW, GARRETT,
 & DUNNER, L.L.P.
 1300 I STREET, N.W.
 WASHINGTON, D.C. 20005
 202-408-4000







(IV)₁




(IV)₂




(IV)₃









(IV)₄




(IV)₅




(IV)₆







(IV)₁₃




(IV)₁₄



(IV)₁₅




(IV)₁₆




(IV)₁₇







(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻



(IV)₂₈





CH₃SO₄⁻

05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







66040 6250560




(IV)₄₂




(IV)₄₃



(IV)₄₄



(IV)₄₅




(IV)₄₆

666040 6450560












(IV)₆₅



(IV)₆₆



(IV)₆₇




(IV)₆₈


660000 6250960

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂



(IV)₇₃

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



- wherein said at least one oxidation base is chosen from:
para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases;
- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,
 - wherein said at least one oxidizing agent is chosen from: hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes, and
 - wherein at least one thickening polymer is chosen from:
nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;
anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C10-30 alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

96. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,


applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises:

at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, at least one thickening polymer; and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:


D is chosen from a nitrogen atom and a $-CH$ group,

R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;


R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,

X^- is chosen from anions,


A is chosen from structures A_1 to A_{19} below:




A₁




A₂




A₃




A₄




A₅




A₆




A₇




A₈




A₉




A₁₀




A₁₁




A₁₂



A₁₃



A₁₄




A₁₅


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,


X^- is chosen from anions,

B is chosen from structures B₁ to B₆ below:




LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




B4



B5

and



B6

in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;


(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,


wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;


wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

if Z is a sulphur atom with R₂₁ being a radical chosen from C₁-C₄ alkyl radicals, R₂₀ is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J₁ below:



in which:

R₂₅ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C₁-C₄) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₆ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and

— wherein said second composition comprises at least one oxidizing agent.

97. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,

applying said mixture to said fibers, and







developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises at least one cationic direct dye, at least one oxidation base, and at least one thickening polymer,
- wherein said at least one cationic direct dye is chosen from:

05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



095050.03099

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



000020 650560

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



000020 000000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



668020 62509260

LAW OFFICES





FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



000020-6659260

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000









065040 06503360

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









668820-633560

LAW OFFICES



FINNEGAN, HENDERSON,
 FARABOW, GARRETT,
 & DUNNER, L.L.P.
 1300 I STREET, N. W.
 WASHINGTON, D. C. 20005
 202-408-4000




;




;




; and






;









; and



66300 62503e60

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




00569-0000 666040 6450560


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂










(IV)₂₃

030303-030303

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₃₄



(IV)₃₅



(IV)₃₆







(IV)₃₇

668040-62903860

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀

005649.0259560


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂



(IV)₆₃




(IV)₆₄

05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







(IV)₆₉




(IV)₇₀



(IV)₇₁




(IV)₇₂




(IV)₇₃


668020-650560




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

668020-02505560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

– wherein said at least one oxidation base is chosen from:

para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases;

– wherein said at least one thickening polymer is chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-30 alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride; and

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

- wherein said second composition comprises at least one oxidizing agent chosen from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.

98. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,

- wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below,

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,


X^- is chosen from anions,

A is chosen from structures A_1 to A_{19} below:


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




A₁




A₂




A₃



A₄




A₅




A₆




A₇




A₈




A₉




A₁₀




A₁₁




A₁₂



A₁₃



A₁₄





A₁₅

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000


A₁₇

A₁₈

C1=C(R4)N(R4)C(R4)=N1

A₁₉

412



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,


X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:






(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

E is chosen from structures E_1 to E_8 below:



E1



E2



E3



E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;


wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.







99. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,






- wherein said first composition comprises at least one cationic direct dye chosen from:

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




















650220 650360

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000






















000020 02505860

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

















663040 6250560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000












000020 000000

LAW OFFICES



FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000













and



668040-6299960


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000











;









; and



05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




Cc1cccc([n+]1)[O-].[O-][N+]#Nc1ccc(cc1)N(CCO)CCO (IV)₇CC1=CC=C(C=C1)N(=N)c2ccccc2N(CC)CC (IV)₈Cc1ccc(cc1[N+]([O-])=N)/N=N/c2ccc(cc2)N(C)C (IV)₉Cc1cc[n+](O-)=N1=Nc2ccc(N(C)C)cc2 (IV)₁₀CC1=CC=C(C(=[N+]([O-])1)/N=N/c2ccc(cc2)N(CC)CC)C (IV)₁₁Cc1cc[n+](O-)=N1=Nc2ccc(N(CC2)O)cc2 (IV)₁₂









(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻



(IV)₂₈





CH₃SO₄⁻

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000

Cc1ccccc1[N+]([CH3])=N/N=N/c1ccc(N)cc1.[CH3]S(=O)(=O)[O-]







66620 649960

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆




(IV)₄₈




(IV)₄₉




(IV)₅₀




(IV)₅₁




(IV)₅₂



(IV)₅₃



(IV)₅₄




(IV)₅₅

663020 650360












(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂



(IV)₇₃

0936020-62509260

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

- wherein said at least one oxidizing agent is chosen from:

hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes;

and

- wherein said at least one thickening polymer is chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

– wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, and at least one thickening polymer,

$$\text{A}-\text{D}=\text{D}-\text{C}_6\text{H}_2(\text{R}_1)(\text{R}_2)(\text{R}_3)-\text{N}(\text{R}_1)(\text{R}_2) \quad (\text{I})$$

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a

heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,

X⁻ is chosen from anions,

A is chosen from structures A₁ to A₁₉ below:

05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



Cc1c(R4)c(R4)n(R4)c1[N+]([R4])= A_{19}

LAW OFFICES
FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,


X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:



LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



in which:

R_{10} is chosen from C_1 - C_4 alkyl radicals, and


R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:

05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(iii)


group and $m = 0$,

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7

and




E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:

E9



in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:






in which:

G is chosen from structures G₁ to G₃ below:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

R₂₀ can be further chosen from a hydrogen atom;

M is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_r radicals;

K is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_r radicals;

P is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_r radicals;

wherein r denotes zero or 1;

wherein R₂₂ is chosen from an O⁻ anion, C₁-C₄ alkoxy radicals, and C₁-C₄ alkyl radicals;

R₂₃ and R₂₄, which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and an -NO₂ radical;


X^- is chosen from anions:

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C₁-C₄ -N⁺-alkyl X⁻, either R₂₃ or R₂₄ is not a hydrogen atom:

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;



R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and

- wherein said second composition comprises at least one oxidizing agent.

101. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,







- wherein said first composition comprises at least one cationic direct dye and at least one thickening polymer,

- wherein said at least one cationic direct dye is chosen from:

05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
 FARABOW, GARRETT,
 & DUNNER, L.L.P.
 1300 I STREET, N.W.
 WASHINGTON, D.C. 20005
 202-408-4000








05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000










05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000













000020-050560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

















093693.093693

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000














663020-6409660

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000














666020 6290960


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000








;



;




; and




CN(C)c1ccc(cc1)/N=N/c2ccccc2[N+]([O-])=O (IV)₁[O-][n+]1ccccc1/N=N/c2ccc(O)cc3c2cnc3 (IV)₂CN(C)c1ccc(cc1N=NC2=CC=CC=C2[N+]([O-])=O)NC(=O)C (IV)₃[O-]n1ccccc1N=Nc2ccc(N(CO)CO)cc2 (IV)₄[O-]n1ccccc1N=Nc2ccc(N)cc2 (IV)₅[O-][n+]1ccccc1N=Nc2ccc(Nc3ccccc3)cc2 (IV)₆


Cc1cccc([n+]1[O-])=N=Nc2ccc(cc2)N(CCO)CCO (IV)₇CC1=CC=C(C=C1)N(=N)c2ccccc2N(CC)CC (IV)₈Cc1ccccc1[N+]([O-])=N=Nc2ccc(N(C)C)cc2 (IV)₉Cc1cc[n+](c1)[O-]/N=N/c2ccc(N(C)C)cc2 (IV)₁₀CC1=CC=C(C(=[N+]([O-])1)/N=N/c2ccc(cc2)N(CC)CC)C (IV)₁₁Cc1cc[n+](c1)[O-]/N=N/c2ccc(N(CC2)O)cc2 (IV)₁₂




(IV)₁₃




(IV)₁₄



(IV)₁₅



(IV)₁₆




(IV)₁₇


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂








(IV)₂₃


668020 6459360

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000









(IV)₃₄



(IV)₃₅







(IV)₃₆




(IV)₃₇

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀

66202 629960


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


005020-650560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄









(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;


cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride; and

- wherein said second composition comprises at least one oxidizing agent chosen from: hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.

102. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,

- wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:


D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;


R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,

X⁺ is chosen from anions,


LAW OFFICES
NEGAN, HENDERSON,
ARABOW, GARRETT,
& DUNNER, L.L.P.
100 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




A₁




A₂




A₃




A₄




A₅




A₆




A₇




A₈




A₉




A₁₀




A₁₁




A₁₂



A₁₃




A₁₄




A₁₅

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B₁ to B₆ below:






in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,


$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH


group and $m = 0$,

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1-C_4 alkyl radicals, R_{20} is not a hydrogen atom;

if Z is $-NR_{22}$ with R_{19} being a radical chosen from C_1-C_4 alkyl radicals, at least one of the radicals R_{18} , R_{20} and R_{21} of G_2 is not chosen from C_1-C_4 alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J_1 below:



in which:

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals, an $-OH$ radical, an $-NO_2$ radical, $-NHR_{28}$ radicals, $-NR_{29}R_{30}$ radicals, $-NHCO$ (C_1-C_4) alkyl radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

103. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,







- wherein said first composition comprises at least one cationic direct dye and at least one oxidation base,

- wherein said at least one cationic direct dye is chosen from:






05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000













660040-6503660













LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000































66020-00000



































and



























663020 62909660









(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂










(IV)₂₃


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









(IV)₃₄







(IV)₃₅




(IV)₃₆




(IV)₃₇







(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆




(IV)₄₇




(IV)₄₈




(IV)₄₉




(IV)₅₀




(IV)₅₁




(IV)₅₂




(IV)₅₃




(IV)₅₄




(IV)₅₅




(IV)₅₆




(IV)₅₇




(IV)₅₈




(IV)₅₉




(IV)₆₀




(IV)₆₁




(IV)₆₂




(IV)₆₃




(IV)₆₄




(IV)₆₅




(IV)₆₆




(IV)₆₇




(IV)₆₈




(IV)₆₉




(IV)₇₀



(IV)₇₁




(IV)₇₂




(IV)₇₃


660207600000




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

- wherein said at least one oxidation base is chosen from:
para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases;
- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,
 - wherein said at least one oxidizing agent is chosen from: hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes, and
 - wherein at least one thickening polymer is chosen from:
nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;
anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;


cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

104. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,

- wherein said first composition comprises:

at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, at least one thickening polymer; and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a
















heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,

X⁻ is chosen from anions,


A is chosen from structures A₁ to A₁₉ below:

663349-6250560



Cc1c(R4)c(R4)n(R4)c1[N+]([R4])= A_{19}

formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:






in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,


wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7

and




E8

in which R' is chosen from C₁-C₄ alkyl radicals;


wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:

E9






in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

if Z is a sulphur atom with R₂₁ being a radical chosen from C₁-C₄ alkyl radicals, R₂₀ is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J₁ below:



in which:

R₂₅ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C₁-C₄) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₆ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and







(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and






— wherein said second composition comprises at least one oxidizing agent.






105. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,






- wherein said first composition comprises at least one cationic direct dye, at least one oxidation base, and at least one thickening polymer,
- wherein said at least one cationic direct dye is chosen from:






05725.0435-00000



































05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000








663040 64509660








LAW OFFICES







FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000













CN1C=NC2=C1SC(=N2)/N=N/c3ccc(N(C)C)cc3.[O-]S(=O)(=O)C (119)



662020 630960

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




66020 6250560


LAW OFFICES

FINNEGAN, HENDERSON,
 FARABOW, GARRETT,
 & DUNNER, L.L.P.
 1300 I STREET, N.W.
 WASHINGTON, D.C. 20005
 202-408-4000












;









; and



658020 6580560







05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₁₃




(IV)₁₄




(IV)₁₅




(IV)₁₆




(IV)₁₇




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂










(IV)₂₃


663020 6494660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000









(IV)₃₄







(IV)₃₅



(IV)₃₆




(IV)₃₇




05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₄₂




(IV)₄₃



(IV)₄₄




(IV)₄₅




(IV)₄₆


CN1C=CN2C(=N1)c3ccccc32[N+]1C(=C(C1))C=C(C)C1=CC=C(C=C1)/N=N/c2ccc(cc2)N(C)C.[O-]Cl(=O)(=O)Cl (IV)₄₇




(IV)₅₁




(IV)₅₂




(IV)₅₃




(IV)₅₄




(IV)₅₅




(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


668020 6450960

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


000020-000000




(IV)₆₅




(IV)₆₆




(IV)₆₇




(IV)₆₈




(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂




(IV)₇₃


666020 6290660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

- wherein said at least one oxidation base is chosen from:

para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases;

- wherein said at least one thickening polymer is chosen from:


nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C10-30 alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride; and

- wherein said second composition comprises at least one oxidizing agent chosen from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.

106. The composition according to claim 1, wherein said J is chosen from 5- and 6-membered nitrogenous heterocyclic groups chosen from structure J₂ below:



in which:

R₃₁ and R₃₂, which may be identical or different, are chosen from a hydrogen atom, C₁-C₄ alkyl radicals and a phenyl radical;

Y is chosen from a -CO- radical and the radical $\begin{array}{c} \text{CH}_3 \\ | \\ \text{---C=} \end{array}$;

n = 0 or 1, and

wherein when n = 1, U is a -CO- radical.

107. The composition according to claim 1, wherein said composition is in a form chosen from sunscreens.

ABSTRACT OF THE DISCLOSURE

The invention relates to a composition for dyeing fibers such as the hair, comprising at least one cationic direct dye of given formula, and which also contains at least one thickening polymer chosen from the group comprising: - nonionic amphiphilic polymers comprising at least one hydrophilic unit and at least one unit containing a fatty chain, - anionic amphiphilic polymers comprising at least one hydrophilic unit and at least one unit containing a fatty chain, - cationic amphiphilic polymers comprising at least one hydrophilic unit and at least one unit containing a fatty chain. The invention also relates to the dyeing processes and dyeing kits therefor.

652220 652220